

Michigan Flu Focus

Weekly Influenza Surveillance Report

May 14, 2021

Vol. 18; No. 32

Week Ending May 8, 2021 | WEEK 18

Editor: Sue Kim

Editor email: KimS2@michigan.gov

Data provided in this report are preliminary and will be updated as additional data is received

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet

2020-21 Influenza Season Week 18 ending May 08, 2021

Updates of Interest

Seasonal influenza activity remains lower than usual for this time of year in Michigan and nationally.

Seasonal Flu Vaccination Coverage

Michigan's goal is to vaccinate more than **4.3 million** residents during the 2020-2021 flu season.

As of March 27, 2021, there have been **3,434,888** doses administered (**79.73%** towards goal) for the 2020-2021 flu season.

Please visit the Flu Dashboard at www.michigan.gov/flu for more info.



Note: This graph represents U.S. ILI activity levels reported to ILINet. Geographic spread of influenza has been suspended for the 2020-2021 influenza season

Influenza-associated Pediatric Mortality

Nationally, one (1) influenza-associated pediatric death has been reported thus far for the 2020-2021 flu season.


No (0) pediatric deaths have been confirmed by MDHHS for the 2020-2021 flu season.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Michigan participates in ILINet, a collaborative effort between the CDC, state and local health departments, and volunteer sentinel clinicians as part of Michigan's influenza surveillance. ILINet provides data on the total number of outpatient visits to health care providers seen for any reason and the number of those patients with influenza-like illness (ILI). ILI is defined as fever ($\geq 100^{\circ}F$) and a cough and/or a sore throat without a known cause other than influenza.

Number of Reports and ILI % by Region during this time period:

Region	С	N	SE	SW
No. of Reporters (17)	4	2	9	2
ILI %	0.0	0.6	0.3	0.0





Michigan ILI Activity: <u>0.3</u>%

(Last week: 0.5%)
Regional Baseline*: 1.9%
A total of 14 patient visits due to ILI were reported out of 4,779 office visits for Week 18.

*Regional baseline is determined by calculating the mean percentage of patient visits due to ILI during non-influenza weeks for the previous three seasons and adding two standard deviations.

National Surveillance

In the United States, <u>1.2</u>% of outpatient visits were due to ILI (Last week: 1.1%)

This is **below** the national baseline of 2.6%


Become an ILINET provider!

Contact Shelly Doebler at DoeblerM@michigan.gov

Influenza Hospitalization Surveillance Project (IHSP)

The CDC's Influenza Hospitalization Surveillance Network (FluSurv-NET) provides population-based rates of laboratory-confirmed influenza-associated hospitalizations from October 1st through April 30th each year. Michigan participates as an IHSP state in FluSurv-NET for Clinton, Eaton, Genesee, Ingham, and Washtenaw Counties.

The IHSP surveillance period has ended April 30, 2021 for the 2020-2021 influenza season. Since October 1^{st} , $\underline{9}$ (1 pediatric, 8 adult) influenza-associated hospitalizations were reported in the catchment area for the 2020-2021 season.



Join the Influenza Sentinel Hospital Network (ISHN)!

What is it? ISHN is a group of hospitals in Michigan that voluntarily report weekly aggregate counts of influenza positive inpatients to assist MDHHS with statewide flu surveillance.

How it works: As a participating hospital in the ISHN, you would complete a brief Survey Monkey every week containing:

- Number of hospitalizations with a positive influenza test by age group during that time period
- The total number of hospitalizations due to any condition during that time period (if available)

The data you provide can assist providers and public health in recognizing changes in the age or geographic distribution of flu in this population.

If your facility is interested in participating or would like more details, please contact Sue Kim (KimS2@michigan.gov)


Laboratory (Virologic) Surveillance

MDHHS BOL Virology Laboratory Data

There were **0** new positive influenza results (OC, ON, OSE, OSW) reported by the MDHHS Bureau of Laboratories (BOL) during this time period.

of Positive Respiratory Virus Results by Region

	С	N	SE	SW	Total
H1N1	0	0	0	0	0
H3N2	0	0	1	0	1
Infl B	0	0	4	1	5
Total	0	0	5	1	6



Michigan Sentinel Clinical Lab Network Respiratory Virus Data

Eight (8) sentinel clinical labs (1SE, 2SW, 5C, 0N) reported for the week ending 05/08

for the week ending 05/08				
SE Region				
Influenza A:	no activity			
Influenza B:	no activity			
Parainfluenza:	sporadic			
RSV:	sporadic			
Adenovirus:	sporadic			
hMPV:	no activity			
	Central Region			
Influenza A:	no activity			
Influenza B:	sporadic			
Parainfluenza:	sporadic – low			
RSV:	sporadic – low			
Adenovirus:	low			
hMPV:	no activity			
SW Region				
Influenza A:	sporadic			
Influenza B:	no activity			
Parainfluenza:	no activity			
RSV:	sporadic – low			
Adenovirus:	sporadic – low			
hMPV:	no activity			
North Region				
Influenza A:	no data available			
Influenza B:	no data available			
D	no data available			
Parainfluenza:	no data available			
RSV:	no data available			

no data available

hMPV:

There were **0** new respiratory outbreaks (0C, 0N, 0SE, 0SW) reported to MDHHS during this time period. Respiratory outbreaks for the 2020-2021 season are listed in the table below.

of Congregate Setting Outbreaks by Region

	•			, 0	
Facility Type	С	N	SE	SW	Total
Schools: K-12 & College	0	0	0	0	0
Long-term Care / Assisted Living Facility	0	0	0	0	0
Healthcare Facility	0	0	0	0	0
Daycare	0	0	0	0	0
Homeless Shelter	0	0	0	0	0
Correctional Facility	0	0	0	0	0
Other	0	0	0	0	0
Total	0	0	0	0	0


Did you know?

Congregate setting outbreaks of viral respiratory illnesses are required to be reported to your local health department? See:

- <u>Influenza Guidance for</u> <u>Healthcare Providers</u>
- Guideline for influenza and Respiratory Virus Outbreaks in Long-Term Care Facilities

Note: Outbreaks associated with COVID-19 are not reported in this table (above) or graph (below).

Congregate Setting Outbreaks by Region, 2020-2021



Influenza Vaccine Update Influenza Vaccination Rates

On May 5, 2021, the Centers for Disease Control and Prevention updated Key Points on the <u>Weekly National Flu Vaccination Dashboard</u>.

During the 2020-2021 influenza season, the United States saw the highest number of flu doses distributed during a single influenza season. By February 26, 2021, 193.8 million doses of flu vaccine have been distributed in the United States.

Despite high distribution numbers, the influenza coverage rates for children 6 months through 17 years old are lower for all race and ethnicity groups for the 2020-2021 influenza season. On April 18, 2021, the largest disparity is seen among Black, non-Hispanic children, where coverage rates are down 8 percentage points from the 2019-2020 influenza season. The coverage for Black, non-Hispanic children is at 48.0%, which is 12 percentage points lower than White, non-Hispanic children (60.2%).

Additionally, pregnant persons of all race and ethnicity groups are experiencing lower coverage rates for the 2020-2021 influenza season. Flu vaccination coverage is lowest among Black, non-Hispanic pregnant persons compared with all other racial groups. Coverage rates for Black, non-Hispanic pregnant persons (36.5%) is nearly 25 percentage points lower compared with White, non-Hispanic pregnant persons (61.3%) for the current season.

Children and pregnant persons are at an increased risk for influenzarelated complications and should be vaccinated every flu season.

Influenza News Blast

- STUDY: Comparison between Patients
 Hospitalized with Influenza and
 COVID-19 at a Tertiary Care Center
- STUDY: Development of CRISPR as an Antiviral Strategy to Combat SARS-CoV-2 and Influenza
- STUDY: Programmable Inhibition and Detection of RNA Viruses Using Cas13
- STUDY: Intranasal Influenza Vaccine
 Spurs Strong Immune Response in
 Phase 1
- STUDY: Effect of Vaccination on Preventing Influenza-Associated Hospitalizations Among Children

Additional Resources

- MDHHS Influenza Webpage
- MDHHS Bureau of Laboratories (BOL)
 Webpage and Test Request Forms
- CDC FluView Weekly Report
- CDC Healthcare Professionals Flu Toolkit
- <u>Immunization Action Coalition: Ask</u> the Experts- Flu
- MDHHS- Influenza Vaccine F.A.Q.

View Michigan Flu Focus Report archives here.

Influenza Burden Estimates

The Centers for Disease Control and Prevention (CDC) have released preliminary burden estimates for the 2019-2020 flu season.

Between October 1, 2019 through April 4, 2020, it is estimated that there have been:

- 39 million 56 million flu illnesses
- 18 million 26 million flu medical visits
- 410,000 740,000 flu hospitalizations
- 24,000 62,000 flu deaths

NOTE: The week of April 4 was the last week in-season influenza burden estimates will be provided for the 2019-2020 season.

2020-2021 preliminary burden estimates are expected to be released later in the flu season.

MDHHS Contributors

Bureau of Infectious Disease Prevention

S. Bidol, MPH, M. Doebler, MPH, S. Kim, MPH

Bureau of Laboratories

B. Robeson, MT, V. Vavricka, MS

To be added to the distribution list, please contact

Sue Kim at KimS2@michigan.gov